LogiLink_®

LL1 USB Webcam

100° with Dual-Microphone

Art. No.: **UA0378**









Business Grade Full HD Webcam

This LL1 USB webcam has a 100° wide angle lens ensuring that everyone is seen in Full HD resolution. It also features dual high-quality microphones, designed to pick up everyone's voice. Provides a business professional with a truly powerful webcam.







Dual Mics (Noise Reduction)



Low Light Correction



f/2.2 High Aperture



Manual Focus

Clear Image





Built-in Dual Noise Reduction Mics

It is specifically optimized for ultra-clear conversations in the room; making sound purer and clearer.

LED indicator

360° Adjustable Rotation

360° rotation left/right and 90° tilt forward/ backward to show your best side on every video call, wherever you are.

Plug-and-Play through USB Connection

Supports USB Video Device Class (UVC); making it easy to get it up and running.



Versatile Mounting Choices

Effortlessly mount the camera wherever you like; clamp on LCD screens, laptops, desktops or mount on your tripod.







All-around Platform Compatibility

Compatible with Windows, Mac OS, Linux, Chrome OS and Android. Works with Skype, Microsoft Teams, Google Meet, Zoom, FaceTime, Facebook Messenger, OBS, XSplit, Twitch and more.

Specification:

Image Sensor	1/2.7" 2.0 M
View Angle	100°
Focus Mode	Manual Focus
Lens	6-Element (5+1IR)
f/N	f/2.2
Focal Length	7cm~∞
Microphone	35 dB + high sensitivity, 2-channel stereo noise reduction double mic
Cable Length	1.6 m
Power Consumption	DC 5 V (through USB 2.0 type-A)
Encoding Format	MJPEG, YUY2
Still Picture Resolution	1920x1080, 1280x720, 640x480
Video Resolution	1920x1080@30fps, 1280x720@30fps, 640x480@30fps
Conference Applications	Zoom, Teams, OBS, Facebook, Youtube, Xbox one, XSplit, Skype, Twitch, Google Meet
System Requirement	2.4 GHz Intel Core2 Duo I3 processor or higher, 4 GB memory or higher for storing recorded video
Operation System	Windows 7/8/10, Windows XP2, Mac OS 10.6, Linux 2.6.24, Chrome OS, XBox One Android 5.0, Ubuntu Linux 10.04 or above
Functions	Auto Exposure (AE) Auto White Balance (AWB) Auto Flicker Correction Color Correction Gamma Correction Dark Level Compensation Auto Edge enhancement Automatic frame rate adjustment when exposure in low light environments
Tripod screw hole specifications	1/4 inch screw thread, 6 mm diameter
Dimensions	8.7x5.3x6.4 cm (Including base)
Weight	138 g

Package Contents:

- » 1x USB Webcam
- » 1x Cleaning Cloth
- » 1x User Manual

Package Information:

» Packing Dimension: 114x115x67 mm

» Packing Weight: 0.21 kg

» Carton Dimension: 475x355x250 mm

» Carton Q'ty: 40 pcs» Carton Weight: 9.07 kg







