

# LogiLink

Mobile Power Cable Reel 4 Way Safety Sockets and 2 USB Ports

Art. No.: LPS504









# Compact and **Lightweight Design**

Only 1 kg, easy to use and store.

## **USB QC and PD Fast** Charging

1x USB-A QC 3.0 and 1x USB-C PD 3.0 ports for fast charging USB devices without adapters.



#### Safe Charging with **Multiple Outlets**

4 safety sockets (CEE 7/3) with safety shutter and overload protection.









**Quick Cable Winding** Manual winding for smooth and controlled retraction.





Made in China

## **Specification:**

Rated Power	230 V~ 50 Hz, 16 A Cable reeled: 1500 W max. Unreeled: 3000 W max.
Standby Power Consumption	0.1 W
Input	Safety plug CEE 7/7, angled
Cable Specification	H05VV-F 3G 1.5 mm <sup>2</sup> , 5 m
Output Types	4x German type sockets CEE 7/3, 1x USB-A and 1x USB-C ports
Socket with Safety Shutter	Yes
USB Outputs	USB-A: 5 V/3 A (15 W), 9 V/2 A (18 W), 12 V/1.5 A (18 W max.) USB-C: 5 V/3 A (15 W), 9 V/2.2 A (20 W), 12 V/1.67 A (20 W max.) USB-A + USB-C: 5 V/3 A (15 W max.) Total output: 20 W
Protections	Overcurrent, overvoltage, over-temperature and overload
Switch	Thermal cut out
Degree of Protection	IP20
Housing Material	PC
Color	Black
Operating Temperature	0–35°C
Operating Humidity	40–75% RH (non-condensing)
Dimensions	22.2 x 18 x 7 cm
Weight	1.08 kg

## Package Contents:

» 1x Mobile Power Cable Reel

» 1x User Manual

## **Package Information:**

» Packing Dimension: 180 x 82 x 228 mm

- » Packing Weight: 1.16 kg
- » Carton Dimension: 440 x 225 x 320 mm
- » Carton Q'ty: 10 pcs
- » Carton Weight: 12.1 kg

() Do not plug in a row.

- () Voltage-free only when the plug is disconnected.
- (!) Indoor use only.





