

# **LogiLink**<sub>®</sub>

Wi-Fi Charging Management Module for Charging Station

Art. No.: SCS0119













Remote Control & Monitor Customize Schedules

Energy Saving

Easy Installation





USB-C Charging Stataion with Cabinet (SCS0104)

USB-C Charging Stataion (SCS0112)

### **Easy Installation**

Install to the back of LogiLink USB-C Charging Station (SCS0104 or SCS0112).

\*See LogiLink website for more modularization combinations and products.



#### **Remote Monitoring**

No software installation is required – users can easily monitor charging status and set up charging schedules directly from their device's web browser.



Customize Charging Schedules for Weekdays

2direct Berlin-AR 2210928472ERP01291					
SCS0113					
Port No	Voltage	Current	mAh	Charge Time	status
1	0	0	0	00:00:00	NO CHARGING
2				00:00:00	NO CHARGING
3	0	0	0	00:00:00	NO CHARGING
4	0	0	0	00:00:00	NO CHARGING
5	0	0	0	00:00:00	NO CHARGING
6				00:00:00	NO CHARGING
7	0	0	0	00:00:00	NO CHARGING



#### **Smart Charging Scheduling Function**

The patented Smart Power Allocation Technology (SPAT) enables users to effortlessly set charging or suspension periods, providing effective protection against overcharging. Additionally, users can conserve energy during power-off periods, maximizing efficiency and battery longevity.







# **Specifications:**

Standard	IEEE 802.11 b/g/n 2.4 GHz		
Interface	RS485 (5x2) connect to LogiLink Charging Station		
Security	WEP/WPA PSK/WPA2 PSK/WEP64/WEP128/TKIP/AES		
Protocols	UDP 12586, 52586, NTP, HTTP, DHCP Client		
Support Browsers	Chrome, Safari, Edge		
Power Supply	DC 5 V/0.5 A (2.5 W)		
Housing Material	Metal		
Operating Temperature	0-50°C		
Dimensions	11 x 8.5 x 3 cm		
Weight	97 g		

# **Package Contents:**

- » 1x Wi-Fi Module
- » 1x IDC Ribbon Cable
- » 1x Antenna
- » 1x User Manual

# **Package Information:**

» Packing Dimension: 178 x 141 x 41 mm

» Packing Weight: 0.18 kg

» Carton Dimension: 500 x 385 x 250 mm

» Carton Q'ty: 30 pcs» Carton Weight: 5.6 kg





