



LogiLink®

USB-C 100 W GaN Slim Table Charger

with 4 USB-C & 2 USB-A Ports

Art. No.: PA0418

One Charger For All Your Needs

LogiLink 100 W GaN Slim Charger can fully charge 4 USB-C and 2 USB-A devices such as laptop, tablet, smartphone, game console or camera at the same time. Suitable for home, office and travel.



100W
Output

4
USB-C

2
USB-A

Slim
Design

GaN
Tech

PD3.0
QC3.0
Fast Charging

PPS
Smart
Charging

Multiple
Protections



100W



100W



+

30W



Versatile 6-Port Design

Delivers 100 W single port, total 4 USB-C and 2 USB-A output ports, Charge 6 devices simultaneously including multiple smartphones, laptops and tablets.



Cutting-Edge Performance

Built-in GaN technology, it is physically smaller, and conduct higher voltages than silicon-based chargers with better heat dissipation.



Charge Smart

Include extension power cord for steady and easy access.



Compact Design

Slim and portable, easily fit in pocket or bag.



Enhanced Safety

Protects against overcurrent, overvoltage, over-temperature and short-circuit for secure charging.



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



Made in China

Specifications:

Input	100–240 V~ 50/60 Hz, 2.5 A
Output	Single Port USB-C1/C2/C3/C4: 5 V/3 A (15 W), 9 V/3 A (27 W), 12 V/3 A (36 W), 15 V/3 A (45 W), 20 V/5 A (100 W max.) PPS: 5–11 V/5 A (55 W max.) USB-A1/A2: 5 V/3 A (15 W), 9 V/3 A (27 W), 12 V/2.5 A (30 W), 20 V/1.5 A (30 W max.) Multi-Ports: USB-(C1+C2) or (C3+C4): 65 W+30 W USB-(C1+A1) or (C2+A1) or (C3+A2) or (C4+A2): 45 W+30 W, USB-C1+C2+C3: 25 W+20 W+45 W, USB-C1+C3+A1: 45 W+25 W+18 W, USB-C3+C4+A2: 25 W+20 W+18 W, USB-C1+(C2+A2)+C4: 25 W+(15 W)+45 W, USB-(C2+A2)+C3+(C4+A1): (15 W)+25 W+(15 W), USB-C1+(C2+A2)+C3+(C4+A1): 25 W+(15 W)+25 W+(15 W) Total: 100 W max.
Power Delivery	PD 3.0/QC 3.0
Smart Charging	Yes
Efficiency	VI
Protections	Overcurrent, overvoltage, over-temperature, overload and short circuit
Color	White
Operating Temperature	0–30°C
Operating Humidity	20–90% RH (non-condensing)
Dimensions	10.2 x 7.7 x 1.6 cm
Weight	155 g
Power Cable Length	1 m

Package Contents:

- » 1 x USB-C GaN Charger
- » 1 x Power Cord
- » 1 x User Manual

Package Information:

- » Packing Dimension: mm
- » Packing Weight: kg
- » Carton Dimension: mm
- » Carton Q'ty: pcs
- » Carton Weight: kg



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

